



CEROWEG N°3

Strong concentrated alkaly detergent, for ultrasonic cleaning and surface preparation in ophthalmic lenses and precision optics prior to antireflection coating.

COMPATIBILITY:

- All ophthalmic substrates:
Mineral and organic lenses, polycarbonate, CR39, HI (1.6-1.67)

COMPONENTS:

- Strong alkalis, surfactants
- Chelating agents

PHYSICO-CHEMICAL DATA:


- pH concentrated: 14
- pH (1%): 12
- Density: 1.260
- Surface tension: 38.2 mN/m

INSTRUCTIONS FOR USE:

Optimum use conditions may be affected by the quality of the water used in the baths, as well as the type and quantity of contaminants.

- Concentration: 3 to 5%
- Temperature: 40 to 60°C (104 to 140°F)
- Time: 3 minutes

PROCESS EXAMPLE:



BENEFITS:

- Excellent surface preparation of hard coated lenses prior to antireflection coating (T°C < 60°C / 140°F - Conc. 3%)
- Ensures optimum cleaning result due to its surfactants
- Efficiently breaks down contaminants
- An Optical 10L finish will ensure a spot free and activated surface

28/02/18

STORAGE CONDITIONS:

- Keep the recipient hermetically sealed between 5°C and 40°C (41°F and 104°F) in a dry place.
- Always keep in packaging made from the same material as the original packaging.



If you have any questions, please contact our Application Centre on: +41 22 365 46 66

