



ULTIMA

Slightly alkaline liquid product, for ultrasonic processes, to remove polishing compounds and finger prints.

COMPATIBILITY:

- Nacres, brass, steel, copper alloys

Incompatibility: aluminium

INGREDIENTS:

- Surfactants
- Chelating agents

PHYSICAL AND CHEMICAL DATA:

- pH concentrated: 11.0
- pH (1%): 11.0
- Density: 1.018
- Surface tension: 29.3 mN/m

INSTRUCTIONS FOR USE:

Optimum use conditions may be affected by the quality of the water used in the baths, as well as the type and quantity of contaminants.


- Concentration: 1 to 2%
- Temperature: 40 to 70°C (104 to 158°F)
- Time: 2 to 3 minutes

Tip: prepare baths with tap water (40°C / 104°F) or DI water.

PROCESS EXAMPLE:

- Cleaning of luxury items in nacre

CLEANING



BENEFITS:

- Perfect and fast removal of sanding and polishing compounds
- Does not attack surface
- Excellent rinsability

30/09/19

STORAGE CONDITIONS:

- Keep the recipient hermetically sealed between 5°C and 40°C (41°F and 104°F) in a dry place.
- Always keep in packaging made from the same material as the original packaging.



If you have any questions, please contact our Application Centre on: +41 22 365 46 66

